

Skin care beyond creams: The impact of sleep, diet, water, stress, gut health, alcohol, chemicals and daily habits on skin & natural skin care

Sumaiya

¹*Faculty of Pharmacy University of Karachi Pakistan*

Authors' Contributions

1, Data Collection & Processing, Data Analysis and/or Interpretation, Drafting of Manuscript

Article info.

Received: August 19, 2026

Accepted: September 26, 2026

Published September 28, 2026

Funding Source: Nil

Conflict of Interest: Nil

Cite this article: Sumiya. *Skin care beyond creams: the impact of sleep, diet, water, stress, gut health, alcohol, chemicals and daily habits on skin & natural skin care* International Journal of Trends in Pharmaceutical and Chemical Research. 2026;4:31-38

ABSTRACT

Skin health extends far beyond topical treatments, being profoundly shaped by internal and lifestyle factors. This article examines the influence of sleep, nutrition, hydration, stress, gut health, alcohol, chemicals, and daily habits on skin function and appearance. Optimal sleep of 7–8 hours supports cellular repair, while both deficiency and excess disrupt this process. A balanced diet rich in vitamins, omega-3 fatty acids, zinc, and antioxidants promotes collagen synthesis and barrier integrity, whereas high-glycemic foods, dairy, and processed items accelerate aging and inflammation. Chronic stress elevates cortisol, damaging collagen and exacerbating acne, eczema, and psoriasis. The gut-skin axis reveals how microbial balance modulates systemic inflammation and immune responses. Alcohol dehydrates skin and depletes essential nutrients, while harmful cosmetic chemicals compromise barrier function. Protective habits like sun protection, hydration, exercise, and stress management foster long-term skin resilience. Ultimately, sustainable skin wellness demands a holistic approach integrating nutrition, lifestyle, mental health, and environmental awareness.

Keywords: Sleep , Inflammation , Vitamin C, Vitamin E, Wound healing , Skin barrier function , Sebum

***Address of Correspondence:**

Email: pc7996.sumaiya@gmail.com

INTRODUCTION

THE ROLE OF SLEEP IN SKIN HEALTH

Effect of Insufficient Sleep

Inadequate sleep significantly damages skin health through multiple mechanisms. Sleep deprivation compromises the skin barrier function, leading to increased transepidermal water loss, reduced hydration, and slower barrier recovery after injury. The skin becomes dry, dull, and less able to protect against environmental threats[1].

Accelerated skin aging is another major consequence. Chronic sleep loss increases oxidative stress, elevates cortisol

levels which break down collagen and elastin, and reduces growth hormone secretion essential for tissue repair. This results in increased fine lines, reduced elasticity, uneven pigmentation, and slower recovery from environmental stressors[2, 3].

Wound healing is significantly impaired in sleep-deprived individuals. The inflammatory response is delayed, collagen synthesis is reduced, re-epithelialization is slower, and growth factor expression is decreased. Overall, delayed wound closure and compromised tissue quality result[4].

Inflammatory skin conditions including acne, atopic dermatitis, psoriasis, and rosacea are exacerbated by

insufficient sleep. Sleep loss increases cortisol and inflammatory cytokines, promotes sebum production, impairs barrier function, and triggers inflammatory flares. The relationship is bidirectional, with sleep disorders both worsening skin disease and being worsened by it.

Sleep-deprived individuals also demonstrate increased skin sensitivity to irritants and allergens, lower pain and itch thresholds, and reduced tolerance to UV radiation.

Additionally, antioxidant defense is compromised through decreased glutathione levels and reduced activity of antioxidant enzymes[5].

Effect of Excessive Sleep

Excessive sleep (more than nine to ten hours) also negatively impacts skin health. Prolonged contact with bedding causes mechanical damage through sustained pressure and friction, leading to sleep lines, compression wrinkles, and reduced circulation. Trapped moisture against the skin increases risk of fungal and bacterial overgrowth. Heat retention can exacerbate inflammatory conditions including rosacea and acne[6].

Reduced physical activity associated with excessive sleep decreases blood circulation and lymphatic drainage, impairing nutrient delivery and toxin removal. Metabolic disturbances including elevated inflammatory markers, insulin resistance, and altered cortisol rhythms negatively impact skin through advanced glycation end products and hormonal imbalances. Circadian rhythm disruption impairs DNA repair mechanisms and increases susceptibility to UV damage[7].

Optimal Sleep Duration for Skin Health

Research indicates that 7 to 8 hours of quality sleep per night is optimal for maintaining healthy skin. This duration allows sufficient time for essential repair processes including collagen synthesis, DNA repair, and cellular regeneration, which peak during nighttime sleep between 11 PM and 4 AM. Both insufficient sleep (less than 6 hours) and excessive sleep (more than 9 hours) are associated with increased oxidative stress and systemic inflammation in a U-shaped relationship. Consistent sleep timing, even on weekends, supports the skin's circadian clock and maximizes repair efficiency.

DIET AND NUTRITION FOR SKIN WELLBEING

Key Vitamins and Minerals

Vitamin C is essential for collagen synthesis, maintaining skin firmness and elasticity. It acts as a powerful antioxidant, protects

from UV damage, brightens skin tone, reduces hyperpigmentation, and promotes wound healing. Sources include citrus fruits, kiwis, strawberries, bell peppers, broccoli, and guavas.

Vitamin E serves as a strong antioxidant protecting cell membranes from oxidative stress. It works synergistically with vitamin C to enhance photoprotection, maintains skin hydration, reduces inflammation, and supports barrier function. Sources include almonds, sunflower seeds, spinach, avocados, and olive oil.

Vitamin A regulates skin cell production and differentiation, promoting healthy turnover and preventing clogged pores. It reduces sebum production, making it beneficial for acneprone skin, and supports wound healing while maintaining the stratum corneum. Sources comprise of sweet potatoes, carrots, spinach, kale, and liver.

Vitamin D supports skin barrier function, immune regulation, and wound healing while playing a role in keratinocyte proliferation and differentiation. Primary sources include sunlight, fatty fish, egg yolks, and fortified foods.

Vitamin K supports blood clotting and wound healing, helps reduce dark circles under eyes, and improves skin elasticity. Leafy greens, broccoli, and fermented foods are rich in such nutrients.

Omega-3 fatty acids reduce inflammation, support skin barrier function, maintain hydration, protect against UV damage, and help manage inflammatory skin conditions. Fatty fish (salmon, mackerel, sardines), flaxseeds, chia seeds, and walnuts are good source of these nutrients .

Omega-6 fatty acids are essential for maintaining skin barrier function and promoting wound healing. However, imbalance with omega-3 can promote inflammation. Sources include sunflower oil, corn oil, nuts, and seeds.

Zinc is crucial for wound healing, collagen synthesis, and immune function. It controls sebum production and has anti-inflammatory properties. Sources include oysters, pumpkin seeds, chickpeas, cashews, and lean meats.

Selenium acts as an antioxidant, protects from oxidative damage and UV radiation, supports skin elasticity, and plays a role in thyroid function. Sources comprise of Brazil nuts, tuna, sardines, eggs, and sunflower seeds.

Copper is essential for melanin production, collagen formation, and elastin cross-linking. It plays a role in skin pigmentation and wound healing. Sources include shellfish, sesame seeds, cashews, and dark chocolate.

Iron supports oxygen delivery to skin cells and collagen synthesis. Sources include red meat, spinach, lentils, and fortified cereals.

B-complex vitamins include Biotin (B7) which supports fatty acid synthesis found in eggs, nuts, and whole grains; Niacin (B3) which improves barrier function and reduces hyperpigmentation found in poultry, fish, peanuts, and mushrooms; Vitamin B6 which supports protein metabolism found in chickpeas, bananas, and potatoes; Vitamin B12 which supports cell production found in meat, fish, and dairy; and Folate (B9) which supports DNA synthesis found in leafy greens and legumes.

Advantageous Foods for Glowing Skin

Fruits including citrus fruits, berries, avocado, pomegranates, papaya, kiwi, watermelon, and bananas provide vitamin C, antioxidants, healthy fats, and hydration. Vegetables including leafy greens, bell peppers, broccoli, carrots, sweet potatoes, tomatoes, cucumbers, and garlic offer vitamins, antioxidants, and protective compounds.

Nuts and seeds including almonds, walnuts, flaxseeds, chia seeds, pumpkin seeds, sunflower seeds, and Brazil nuts provide vitamin E, omega-3 fatty acids, zinc, and selenium. Fish and seafood including salmon, mackerel, sardines, oysters, and tuna supply omega-3 fatty acids, vitamin D, zinc, and selenium.

Other beneficial foods include green tea, dark chocolate, yogurt, turmeric, ginger, olive oil, eggs, and legumes which support skin health through antioxidants, probiotics, and essential nutrients[8].

Foods That Trigger Skin Damage

High glycemic index foods that spike blood sugar rapidly worsen acne and accelerate aging through glycation. Sugar binds to collagen and elastin, forming advanced glycation end products causing stiffness and wrinkles. Problematic foods include sugary foods, white bread, white rice, pastries, and sweetened beverages[9].

Excessive dairy products, particularly skim milk, are associated with acne exacerbation. Whey protein and casein stimulate insulin-like growth factor-1 which increases sebum

production and inflammation. A dose-dependent relationship exists between milk consumption and acne severity.

Refined carbohydrates like white bread, pasta, and refined cereals cause rapid blood sugar spikes, contributing to glycation, inflammation, and breakouts. Whole grains are recommended.

Fried and processed foods cooked at high temperatures create advanced glycation end products. Trans fats promote inflammation and impair skin barrier function, contributing to oxidative stress and premature aging.

Excess caffeine can dehydrate the skin while excess alcohol causes vasodilation, dehydration, and oxidative stress. Alcohol depletes essential vitamins, disrupts sleep, and contributes to inflammation.

Highly salted foods with excessive sodium cause water retention, puffiness, and may exacerbate acne in some individuals. High salt intake can dehydrate skin cells and impair barrier function.

How diet can help with skin problems

For glowing skin, increase vitamin C rich fruits and vegetables, consume omega-3 fatty acids, include antioxidant-rich berries and green tea, ensure adequate hydration, and maintain zinc levels.

For skin brightening or whitening, vitamin C reduces melanin production, vitamin E protects against oxidative damage, niacinamide reduces pigmentation, glutathione precursors support natural brightening, and green tea catechins help reduce hyperpigmentation[10, 11].

For skin dullness and dryness, omega-3 fatty acids maintain hydration, vitamin E protects and moisturizes, B-complex vitamins support cellular energy, iron prevents pale complexion, and hyaluronic acid precursors improve moisture retention.

For acne and breakouts, zinc regulates sebum production, vitamin A regulates skin cell turnover, omega-3 fatty acids reduce inflammation, low glycemic index foods prevent blood sugar spikes, while avoiding high glycemic foods and excessive dairy is essential[12].

For aging and wrinkles, vitamin C supports collagen synthesis, vitamin E provides antioxidant protection, omega-3 fatty acids reduce inflammation, selenium supports antioxidant defense, lycopene and flavonoids protect against UV damage,

and limiting sugar and processed foods prevents glycation. The Gut-Skin Connection[13]

Research demonstrates the gut-skin axis, where gut health directly influences skin conditions. Probiotic and prebiotic foods support a healthy gut microbiome, reducing systemic inflammation and improving skin conditions including acne, eczema, and rosacea. Fermented foods including yogurt, kefir, kimchi, and sauerkraut are beneficial. Fiber from whole grains, fruits, and vegetables supports gut bacteria diversity.

Hydration

Water intake is essential for maintaining skin hydration, elasticity, and function. Dehydration makes skin appear dull, dry, and more prone to fine lines. Adequate water intake supports nutrient delivery to skin cells and removal of waste products. Herbal teas and water-rich fruits and vegetables also contribute to hydration.

Practical Dietary Recommendations

Eat colorful fruits and vegetables daily. Aim to eat fatty fish at least two times every week. Choose whole grains over refined carbohydrates. Consume nuts and seeds regularly. Reduce intake of sugar, processed foods, and excessive dairy. Drink adequate water throughout the day. Include fermented foods for gut health. Use healthy cooking methods like steaming and baking. Choose antioxidant-rich beverages like green tea. Maintain a balanced, varied diet for optimal nutrient intake.

STRESS AND SKIN HEALTH

How Stress Affects Skin

Stress triggers the HPA axis, which leads to high cortisol level. Elevated cortisol breaks down collagen and elastin, leading to premature aging, wrinkles, and loss of elasticity. Cortisol raises sebum level, which leads to acne and breakouts.

Chronic stress promotes systemic inflammation through increased cytokines including IL6 and TNF-alpha. This inflammation exacerbates psoriasis, eczema, rosacea, and acne. Stress also compromises the skin barrier, increasing water loss and reducing hydration. The skin becomes dry, sensitive, and more susceptible to irritants.

Psychological stress impairs wound healing through reduced inflammatory response and decreased growth factor expression. Cuts and surgical wounds heal more slowly. Chronic stress increases reactive oxygen species, causing cellular damage, premature aging, and increased UV susceptibility.

Common Skin Conditions That Deteriorate With Stress

Acne is worsened as stress increases oil production and inflammation, leading to more frequent and severe breakouts. Eczema and atopic dermatitis flare through neuroimmune pathways, increasing itching and inflammation. Psoriasis flares through T-cell activation and increased cytokines. Rosacea flushes and develops inflammatory papules through neurovascular mechanisms. Urticaria (hives) is triggered by mast cell activation and histamine release. Alopecia areata onset is associated with stress. Herpes simplex reactivation occurs as stress suppresses immunity, causing cold sore reactivation[14].

Visible Signs of Stress on Skin

Fine lines and wrinkles appear from collagen breakdown. A dull complexion results from decreased cell turnover. Under eye puffiness and dark circles can appear. Breakouts and increased oiliness occur. Dryness, sensitivity, redness, flaking, and irritation become visible.

The Brain-Skin Axis

The brain-skin axis represents bidirectional communication between the nervous system and skin. Nerve endings release neuropeptides including substance P, which trigger inflammation and itching. Stress activates this axis through the HPA axis and sympathetic nervous system. Skin cells themselves produce stress hormones, creating a local response independent of systemic signals.

Managing stress to support skin health

Consistent exercise can cut stress hormones and enhance circulation. Adequate sleep supports skin repair and reduces cortisol. Mindfulness and meditation lower cortisol and inflammatory markers. Deep breathing techniques activate the parasympathetic nervous system.

During stressful periods, use gentle, barrier-supporting products. Avoid harsh exfoliants and active ingredients during flare-ups. Maintain a consistent routine even when stressed. Focus on hydration and soothing ingredients like ceramides, niacinamide, and centella asiatica. Cognitive behavioral therapy can help manage chronic stress. Dermatological treatment is essential for stress-exacerbated conditions. An integrated approach combining dermatology and mental health care yields the best results.

The Gut-Skin Axis

The gut-skin axis represents the bidirectional relationship between digestive health and skin appearance. Gut microbiome

composition directly influences skin conditions through immune, inflammatory, and metabolic pathways. How Gut Health Affects Skin[15]

The gut houses **70%** of immune cells. Imbalanced gut microbiome triggers systemic inflammation, worsening acne, eczema, psoriasis, and rosacea. Increased intestinal permeability allows toxins to enter circulation, promoting skin inflammation. Poor gut health leads to nutrient deficiencies manifesting as dull, dry, and prematurely aged skin. Gut bacteria metabolize hormones including estrogen and cortisol. Dysbiosis disrupts hormone balance, contributing to acne. Gut dysbiosis also increases oxidative stress, damaging skin cells and accelerating aging.

Gut Issues and Related Skin Conditions

Acne patients show reduced gut bacterial diversity. Eczema and atopic dermatitis link to early-life gut dysbiosis. Rosacea patients commonly have gut issues including SIBO. Psoriasis involves increased intestinal permeability. Reduced microbial diversity accelerates premature aging[16].

Best Foods to support Gut and Skin Health

Prebiotics like garlic, onions, bananas, oats, and asparagus feed beneficial bacteria. Probiotics from yogurt, kefir, kimchi, and sauerkraut introduce beneficial bacteria. Fiber from whole grains, fruits, and vegetables supports bacterial diversity[17].

Foods Harming Gut and Skin

Practical Recommendations

Include probiotic-rich fermented foods daily. Consume high-fiber fruits and vegetables regularly. Limit sugar and processed foods. Stay hydrated. Manage stress. Use antibiotics only if prescribed and needed[18].

ALCOHOL AND SKIN HEALTH

How Alcohol Affects Skin

Alcohol is a **diuretic** causing fluid loss. Dehydrated skin appears dull, dry, and flaky with pronounced fine lines. Alcohol promotes systemic inflammation worsening acne, rosacea, psoriasis, and eczema. Alcohol metabolism produces reactive oxygen species damaging collagen, elastin, and DNA, accelerating aging. Alcohol depletes vitamins A, C, E, Bcomplex, zinc, and folic acid. Hormonal disruption increases sebum production worsening acne. Chronic consumption compromises skin barrier function.

Visible Effects

Dehydrated, dull, and flaky appearance with fine lines. Puffiness and dark circles. Facial redness, flushing, and broken capillaries. Acne flare-ups. Skin may age faster and lose its firmness.

Practical Recommendations

Limit alcohol intake. Drink water between beverages. Avoid sugary mixers. Use hydrating products with hyaluronic acid. Apply antioxidants including vitamin C and E. Ensure adequate sleep. Maintain balanced nutrition with B-complex and zinc.

HARMFUL CHEMICALS AND SKIN

Common Harmful Chemicals

Parabens disrupt hormones through estrogenic activity. Phthalates affect hormone balance. Sulphates strip natural oils compromising barrier. Fragrances trigger contact dermatitis. Formaldehyde releasers are irritants. Oxybenzone is an endocrine disruptor. Triclosan disrupts skin microbiome. Hydroquinone causes pigmentation issues. Retinoids overuse causes irritation[19].

Environmental Pollutants

Particulate matter causes inflammation and premature aging. Heavy metals cause oxidative damage. Pesticides affect hormones. Volatile organic compounds cause sensitivity.

How Chemicals Damage Skin

Harsh surfactants strip protective lipids. Pollutants produce reactive oxygen species damaging collagen. Endocrine disruptors affect sebum and pigmentation. Antimicrobials disrupt bacterial balance.

Ingredients to Avoid

Parabens (methylparaben, propylparaben), sulphates (SLS, SLES), phthalates (DEP, DBP), fragrances (parfum, limonene), formaldehyde releasers (MDDM hydantoin), oxybenzone, octinoxate.

Safer Alternatives

Short ingredient lists. Plant-based preservatives. Fragrance-free products. Sulphate-free cleansers. Mineral sunscreens with zinc oxide or titanium dioxide.

Practical Recommendations

Read labels carefully. Avoid endocrine disruptors. Choose fragrance-free products. Use mineral sunscreens. Cleanse after

pollution exposure. Apply antioxidants. Patch test new products. Consult dermatologist for sensitive skin.

DAILY LIFESTYLE HABITS AFFECTING SKIN

Beneficial Habits

Daily application of broad-spectrum SPF 30+ sunscreen prevents UV damage responsible for premature aging, pigmentation, and skin cancer. It reduces photoaging by up to 80%. Put on more sunscreen every two hours when you are out in the sun for a long time.

A regular cleansing and moisturizing routine strengthens the skin barrier and prevents breakouts. Daily cleansing removes pollutants and excess oil while moisturizing maintains hydration. Active ingredients applied consistently yield visible improvements over time.

Exercise boosts blood flow which brings oxygen and nutrients to skin cells. Sweating helps clear pores and reduce stress hormones. Aim for at least 30 minutes of exercise daily.

Drinking 8 to 10 glasses of water daily maintains skin moisture, elasticity, and plumpness. Proper hydration supports nutrient delivery to skin cells and removal of waste products. Consistent 7 to 8 hours of sleep permits cellular repair, collagen synthesis, and hormonal balance. Sleep prevents dullness, dark circles, and premature aging.

Regular meals with whole foods, antioxidants, and healthy fats provide essential nutrients for skin function and repair. Regular stress reduction through meditation, deep breathing, or yoga prevents cortisol damage and inflammatory skin flares[20]. Use mild cleansers and moisturize after washing to maintain hand skin barrier health.

CONCLUSION

Healthy skin is the result of a complex interplay between multiple internal and external factors that work together to maintain its structure, function, and appearance. Throughout this article, we have explored how various aspects of daily life significantly influence skin health, from the nutrients we consume to our sleep patterns, stress levels, lifestyle habits, and environmental exposures.

A balanced diet rich in vitamins, minerals, antioxidants, and healthy fats provides the essential building blocks for collagen

synthesis, cellular repair, and protection against oxidative damage. Omega-3 fatty acids, zinc, selenium, and vitamins A, C, and E work synergistically to maintain skin barrier function, reduce inflammation, and promote a radiant complexion. Conversely, high glycemic foods, excessive dairy, refined carbohydrates, and processed foods contribute to glycation, inflammation, and breakouts. Sleep plays a vital restorative role, with 7 to 8 hours of quality sleep allowing peak cellular repair, collagen synthesis, and hormone balance during nighttime hours. Both insufficient and excessive sleep disrupt these processes, leading to accelerated aging, impaired barrier function, and increased inflammation. Stress management is equally crucial, as chronic stress elevates cortisol levels that break down collagen and elastin while triggering inflammatory flares in conditions like acne, eczema, and psoriasis. The brain-skin axis demonstrates how psychological well-being directly translates to skin health[21].

The gut-skin connection further highlights the importance of digestive health, as a balanced microbiome supports immune function, nutrient absorption, and hormone metabolism while reducing systemic inflammation. Similarly, alcohol consumption dehydrates skin, depletes essential nutrients, and promotes oxidative stress, making moderation essential. Our daily lifestyle choices including consistent sun protection, proper skincare routines, regular exercise, and adequate hydration collectively determine skin's resilience and aging trajectory. Exposure to harmful chemicals through cosmetics and environmental pollutants adds another layer of concern, emphasizing the need for mindful product selection[22].

In essence, achieving and maintaining healthy skin requires a holistic approach that addresses nutrition, sleep, stress, gut health, lifestyle habits, and environmental protection. No single factor works in isolation; rather, they form an interconnected system where balance in one area supports overall skin vitality. By adopting mindful, consistent habits across all these domains, we can support our skin's natural ability to protect, repair, and regenerate, ultimately promoting lasting health and radiance.

Declaration of conflict of interest

The authors declare no conflict of interest, financial or otherwise. No artificial writing assistance was utilized in the production of this manuscript.

REFERENCES

1. Naveed, S., A. Hameed, and N. Sharif, *Awareness and prevalence of migraine, survey based study in Karachi*. Int J Biol Sci Appl, 2014. **1**(4): p. 157-61.
2. Qamar, F., et al., *Phytochemical characterization, antioxidant activity and antihypertensive evaluation of Ocimum basilicum L. in I-NAME induced hypertensive rats and its correlation analysis*. Heliyon, 2023. **9**(4).
3. Farooqi, S.S., et al., *Phytochemical analysis, GC-MS characterization and antioxidant activity of Hordeum vulgare seed extracts*. Heliyon, 2024. **10**(6).
4. Rehman, H., et al., *Evaluation of in vitro antioxidant, reducing, lipoxygenase and ACE inhibition activity of polyherbal drug linkus*. African Journal of Pharmacy and Pharmacology, 2016. **10**(44): p. 945-953.
5. Kaleem, A., et al., *Next-gen ferulic acid-stabilized gold nanoparticles: exploring their sensing capabilities and therapeutic efficacy*. Therapeutic Delivery, 2025. **16**(5): p. 447-457.
6. Naveed, S., A. Hameed, and W.Z. Jaffery, *Consumption of green tea in professionals and non-professionals*. American Journal of Drug Delivery and Therapeutics, 2014. **1**(4): p. 082-088.
7. Sheikh, Z.A., et al., *Quantitative determination of catechin as chemical marker in pediatric polyherbal syrup by HPLC/DAD*. Journal of chromatographic science, 2016. **54**(8): p. 1324-1327.
8. Qubtia, M., et al., *Cross-sectional study: Use of natural products for health-associated conditions in Pakistan*. International Journal of Trends in Pharmaceutical and Chemical Research, 2024. **2**(1).
9. Sadia, H., et al., *To prescribe or not to prescribe in the elderly: a qualitative exploration of prescribing dilemmas among Pakistani healthcare providers*. BMJ open, 2025. **15**(4): p. e094545.
10. Sadia, H., et al., *Enhancing medication appropriateness: Insights from the STOPP (Screening Tool of Older Persons' Prescriptions) criteria version 3 on prescribing practices among the older adults in Pakistan*. Frontiers in Pharmacology, 2025. **16**: p. 1551819.
11. Naveed, S., et al., *Appraisal of Techniques, Investigation and Analysis of Vitamin (B7) Biotin*. Open Access Library Journal, 2015. **2**(09): p. 1.
12. Karim, M.A., *Effectiveness of Avrgam Herbal Mouthwash Against Plaque and Gingivitis: A Randomized Controlled Double Blind Trial*. International Journal of Trends in Pharmaceutical and Chemical Research, 2023. **1**(1): p. 20-26.
13. Siddiqui, U.N. and D. Naveed, *Nature's forgotten emulsifier: revisiting the chemistry, application and use of Gum acacia*. International Journal of Trends in Pharmaceutical and Chemical Research, 2025. **3**(1).
14. Saleem, M., et al., *Ascorbic Acid Mediated Ecofriendly Synthesis of Copper Nanoparticles for Statistically Optimized Adsorptive Removal of Reactive Navy Blue 19 Dye*. International Journal of Trends in Pharmaceutical and Chemical Research, 2025. **3**(1).
15. Khan, N.I., et al., *Study the effect of bioactive compounds of Guava leaves extract incorporated in the formation of baked goods using composite flour*. Pakistan Journal of Medical & Cardiological Review, 2026. **5**(1): p. 2328-2359.
16. Liaquat, A., et al., *Enzymatic influence on dough rheology and cookie quality: protease and lipase as functional modifiers*. International Journal of Food Properties, 2025. **28**(1): p. 2489490.
17. Naveed, D., H. Sadia, and U.N. Siddiqui, *FROM CRAVINGS TO CARCINOGENESIS: A REVIEW OF SUGAR'S DUAL ROLE IN ADDICTION AND CANCER*. Pakistan Journal of Medical & Cardiological Review, 2026. **5**(2): p. 1086-1100.
18. Rolfe, R.D., *The role of probiotic cultures in the control of gastrointestinal health*. The Journal of nutrition, 2000. **130**(2): p. 396S-402S.
19. Asif, H.M., et al., *Medicinal Properties of Cucumis melo Linn*. RADS Journal of Pharmacy and Pharmaceutical Sciences, 2014. **2**(1): p. 58-62.
20. Puupponen-Pimiä, R., et al., *Development of functional ingredients for gut health*. Trends in Food Science & Technology, 2002. **13**(1): p. 3-11.
21. Rizvi, S.F., *Comparative Evaluation of Fenugreek, Berberine, and Metformin in Type 2 Diabetes Mellitus: Implications for Glycemic Control and Diabetes Care in Pakistan*.

- International Journal of Trends in Pharmaceutical and Chemical Research, 2026. **4**(1).
22. Wan, M.L., et al., *Influence of functional food components on gut health*. Critical reviews in food science and nutrition, 2019. **59**(12): p. 1927-1936.



This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.